DAIRYLAND Laboratories, Inc.

Your Feed Dealership
213 Main St.
Arcadia, Wisconsin 54612
Telephone:+1 315-436-3735

Report Date: 07/09/2026
Sample No.: 5PK1K

Account No.: 693 (0)
Sampled By: Your Feed Dealership
Sampled For: Example report
Description1: HiPro Distillers

Test Package: CNCPS 6.5+
Feed Type: Grain byproducts
Sub Type: Corn distillers - dry

Moisture	9.26%		
Dry Matter	90.74%		
		Dry Basis	90% Range*
CP	%DM	43.28	26.80 - 35.01
ADICP	% CP	3.10	1.92 - 19.22
NDICPss	% CP	3.86	
SCP	% CP	50.18	15.05 - 30.15
Ross UCP	% CP	11.94	8.08 - 27.49
Total amino acid	%DM	25.77	24.40 - 33.25
Total amino acid	% CP	59.54	79.85 - 95.73
Lysine	% CP	2.10	2.23 - 3.24
Methionine	% CP	1.43	1.31 - 2.74
Isoleucine	% CP	1.83	2.46 - 3.03
Leucine	% CP	6.98	9.20 - 11.69
Valine	% CP	2.80	3.66 - 4.86
Histidine	% CP	1.46	2.01 - 2.39
Crude Fiber	%DM	7.38	6.61 - 9.17
ADF	%DM	14.88	10.47 - 18.20
aNDF	%DM	31.08	22.61 - 36.31
aNDFom	%DM	30.37	21.84 - 34.82
Lignin	% NDFom	12.91	
Lignin	%DM	3.92	0.85 - 4.63
NDFDom12	% NDFom	42.71	33.87 - 59.18
NDFDom30	% NDFom	64.34	43.71 - 79.73
NDFDom72	% NDFom	75.83	59.74 - 84.79
NDFDom120	% NDFom	80.14	62.42 - 88.71
NDFDom240	% NDFom	83.04	67.71 - 94.08
uNDFom12	%DM	17.40	11.02 - 19.30
uNDFom30	%DM	10.83	6.26 - 17.47
uNDFom72	%DM	7.34	4.04 - 11.19
uNDFom120	%DM	6.03	3.09 - 10.35
uNDFom240	%DM	5.15	1.69 - 10.06
Sugar (ESC)	%DM	4.05	2.94 - 9.38
Sugar (WSC)	%DM	8.91	3.60 - 12.71
Starch	%DM	1.87	1.37 - 6.69
Fat (EE)	%DM	11.37	5.42 - 11.93
Total fatty acids	%DM	10.10	5.95 - 13.29
16:0 Palmitic	% TFA	15.25	12.10 - 15.70
18:0 Stearic	% TFA	1.78	1.18 - 1.77
18:1 Oleic	% TFA	26.63	25.04 - 26.88
18:2 Linoleic	% TFA	51.88	52.94 - 56.20
18:3 Linolenic	% TFA	0.99	1.79 - 2.47
Ash	%DM	6.48	4.15 - 6.47

Ca	%DM	0.08	0.03 - 0.09
P	%DM	1.04	0.73 - 1.07
Mg	%DM	0.37	0.28 - 0.42
K	%DM	1.38	0.96 - 1.43
S	%DM	0.57	0.45 - 1.01

Corn distillers - dry statistics provided for comparison.

Calculations

NFC	%DM	10.44	
NDF kd rate MIR_P1	%/hr	5.65	
Adjusted Crude Protein	%DM	43.28	
		ADF	OARDC
TDN 1x		76.98	80.63
Nel 3x	Mcal/cwt	80.11	84.16
Neg	Mcal/cwt	68.82	70.74
Nem	Mcal/cwt	99.84	102.13